



Jangro Limited
James House
Worsley Road
Farnworth
Bolton
BL4 9NL

Tel. 0845 458 5223

PRODUCT SAFETY DATA SHEET

1 IDENTIFICATION OF PREPARATION AND THE SUPPLIER

Trade Name: JANGRO SILICONE SPRAY
Supplier: Jangro Limited, as above

2 COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient Name	EINECS No.	CAS No.	% Range	Symbol	Risk Phrase
1Naptha (petroleum) Hydrotreated Light		64742-49-0	5-10%	F, Xn,N	11,38,51/53,65,67
L015 Silicone Fluid		63148-62-9	5-10%	NC	Not classified
Hydrocarbon Propellant	649-202-00-6	68476-85-7	60-100%	Fx	12

The full text for all R-phases are shown in section 16.

Composition Comments: Aerosol propelled by liquefied petroleum gas.

3 HAZARDS IDENTIFICATION

Extremely flammable

Harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment.

4 FIRST AID MEASURES

Eyes: Rinse the eye with water immediately. Get medical attention if any discomfort continues.

Skin: Rinse the skin immediately with lots of water.

Ingestion: Rinse mouth thoroughly.

Inhalation: If inhalation of vapours causes irritation or drowsiness, remove to fresh air.

5 FIRE FIGHTING MEASURES

Extinguishing Media: Powder, foam or CO2

Fire Fighting Procedures: Breathing apparatus should be worn if exposure to fumes is likely. Use water to keep fire exposed containers cool and disperse vapours.

Explosion Hazards: Possible risk of can rupture when exposed to fire/ high temps. Contents of aerosol will add to fuelling of fire. Solvent vapours may form explosive mixtures with air.

6 ACCIDENTAL RELEASE MEASURES

Spillage Cleanup Methods: Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb materials from ruptured or leaking containers onto an inert – material. Transfer to suitable container for subsequent disposal.

7 HANDLING AND STORAGE

Usage: Keep away from heat, sparks and open flames. Avoid spilling, skin and eye contact. Caution. Pressurised container. Do not expose to temperatures exceeding 50°C do not puncture or incinerate even when empty. Do not spray onto naked flames or incandescent materials.

Storage: Store in a cool dry place away from all sources of heat including direct sunlight.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Protective Equipment:



Protective Gloves: Protective gloves should be used if there is a risk of direct contact or splash.
Eye Protection: Chemical resistant gloves required for prolonged or repeated contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Aerosol

10 STABILITY AND REACTIVITY

Conditions to Avoid: Avoid heat, flames and other sources of ignition.
Materials to Avoid: Strong oxidizing agents.
Hazardous Decomposition Products: Fire or high temperatures create: Carbon Dioxide (CO₂) Carbon Monoxide (CO)

11 TOXICOLOGICAL INFORMATION

Inhalation: High concentrations of vapour may cause dizziness, nausea and headaches.
Ingestion: May cause irritation of mouth, respiratory tract and intestinal system.
Skin: Repeated exposure may cause skin dryness or cracking.
Eyes: May cause mild irritation or discomfort. Liquid splashes could result in freezing of the eye tissue.

12 ECOLOGICAL INFORMATION

Environmental Hazards: Harmful to aquatic organisms, may cause long term adverse effects in the aquatic.

13 DISPOSAL CONSIDERATIONS

Disposal Methods: Do not puncture or incinerate even when empty. Dispose of in accordance with local authority requirements.

14 TRANSPORT INFORMATION

Label for Conveyance:



Road: n/a
UN No: 1950
Hazard Class (ADR): Class 2: Gases; Compressed, liquefied or dissolved under pressure
Rail: n/a
Sea: n/a
UN Sea: 1950
Air: n/a
UN Air 1950

15 REGULATORY INFORMATION

Label for Supply:

**EXTEMELY FLAMMABLE**

Risk Phrases:	R-12	Extremely Flammable
Safety Phrases:	S-16	Keep away from sources of ignition – No smoking.
	S-35	This material and its container must be disposed of in a safe way.
	S-51	Use only in well ventilated areas.
	S-9	Keep container in a well ventilated place.
	S-2	Keep out of reach of children.

16 OTHER INFORMATION

This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. However, the information is provided without any warrantee, express or implied regarding its correctness.

R-PHASES (Full Text)	R-12	Extremely flammable
	R-36	Irritating to eyes
	R-57	Toxic to bees
	R-50/53	Very toxic to aquatic organism. May cause long-term adverse effects in the aquatic environment.
	R-51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
	R-65	Harmful: may cause lung damage if swallowed
R-66	Repeated exposure may cause skin dryness or cracking.	